


I. AMENDMENTS TO THE CLAIMS

Claims 1 to 10. (Canceled)

Claim 11. (Currently Amended) A compound or its salt having the following general formula (I):



wherein:

A = R-T₁-, wherein

R is the radical of the drug, as defined hereunder, having the formula R-T₁-Z or R-T₁-OZ in which Z is H or C₁-C₅ alkyl, selected from the following classes:

anti-inflammatory drugs: acetylsalicylic acid, 5-aminoacetylsalicylic acid, carprofen, diclofenac sodium salt, diflunisal, etodolac, flufenamic acid, flunixin, flurbiprofen, ibuprofen, indomethacin, indoprofen, ketoprofen, ketorolac, lornoxicam, loxoprofen, meclofenamic acid, mefenamic acid, meloxicam, mesalamine, naproxen, niflumic acid, olsalazine, piroxicam, salsalate, sulindac, suprofen, tenoxicam, tiaprofenic acid, tolafenamic acid, tolmetin and zomepirac;

~~analgesic drugs: acetaminophen, acetylsalicylsalicylic acid, benoxaprofen and tramadol;~~

bronchodilators drugs: albuterol, carbuterol, clenbuterol, diphylline, etofylline, fenoterol, metaproterenol, pirbuterol, salmeterol and terbutaline;

expectorant drugs: ambroxol, bromexine and guaiaacol;

~~antihistaminic drugs: cetirizine, levocabastine and terfenadine;~~

~~ACE inhibitors: captopril, enalapril, lisinopril and ramipril;~~

~~beta-blockers: alprenolol, atenolol, bupranolol, labetalol, metipranolol, metoprolol, pindolol, propranolol, timolol;~~

~~antithrombotic and vasoactive drugs: argatroban, clopidogrel, dalteparin, dipyridamole, enoxaparin, iloprost, ozagrel, trifusal and benfuredil hemisuccinate;~~

~~antidiabetic drugs: nicotinamide;~~

antitumoral drugs: anthramycin, daunorubicin, doxorubicin and epirubicin;
~~antiulcer drugs: cimetidine, omeprazole and pantoprazole;~~
~~antihyperlipidemic drugs: atorvastatin, fluvastatin, lovastatin, pravastatin~~
~~sodium salt and simvastatin;~~

antibiotics drugs: amoxicillin, ampicillin, aztreonam, biapenem,
 carbenecillin, cefaclor, cefadroxil, cefamandole, cefatrizine, cefoxitin,
 dicloxacillin, imipenem, meclocycline, methacycline, moxalactam, panipenem,
 bacampicillin, apicycline, clomocycline and oxytetracycline;

~~antiviral drugs: acyclovir, famciclovir, ganciclovir, penciclovir, vidarabine~~
~~and zidovudine;~~

bone resorption inhibitors: alendronic acid, etidronic acid and pamidronic
 acid;

antidementia drugs: tacrine;


$T_1 = (\text{CO}), \text{O}, \text{S}, \text{N}$ or $\text{NR}_{1\text{C}}$ $(\text{CO}), \text{O}, \text{S},$ or $\text{NR}_{1\text{C}}$, wherein $\text{R}_{1\text{C}}$ is H or $\text{C}_4\text{-C}_5$ -alkyl
H, $\text{C}_1\text{-C}_5$ alkyl, or a free valence;





$\text{B} = -\text{T}_\text{B}-\text{X}_2-\text{T}_{\text{BI}}-$ wherein

T_B and T_{BI} are equal or different, T_B is (CO) when T_1 is $(\text{CO}), \text{O}, \text{S},$ or $\text{NR}_{1\text{C}}$, and
~~can be selected from $(\text{CO}), \text{O}, \text{S}, \text{N}$ or $\text{NR}_{1\text{C}}$ wherein $\text{R}_{1\text{C}}$ is as above defined,~~ T_B
is O when T_1 is (CO) , T_{BI} is (CO) or O;



X_2 is a bivalent bridging group such as the corresponding precursor of B, having
 the formula $\text{Z}'-\text{T}_\text{B}-\text{X}_2-\text{T}_{\text{BI}}-\text{Z}''$ in which Z', Z'' are independently H or OH, is selected
 from the following compounds:







~~Aminoacids: L-carnosine (CI), penicillamine (CV), N-acetylpenicillamine~~
~~(CVI), cysteine (CVII), N-acetylcysteine (CVIII);~~











- Hydroxyacids: gallic acid (DI), ferulic acid (DII), gentisic acid (DIII), caffeic acid (DV), hydro caffeic acid (DVI), p-coumaric acid (DVII), vanillic acid (DVIII), syringic acid (DXI):






~~aromatic polyalcohols: hydroquinone (EVIII), methoxyhydroquinone (EXI),
 hydroxyhydroquinone (EXII), coniferyl alcohol (EXXXII), 4-
 hydroxyphenetyl alcohol (EXXXIII), p-coumaric alcohol (EXXXIV):~~





C is the bivalent $-T_C-Y-$ radical, wherein $T_C = (CO)$, O, S, N or NR_{4C} , R_{4C} being as above defined is (CO) when T_{BI} is O, T_C is O when T_{BI} is (CO);

Y is has the following meanings:- a linear or branched C_4-C_{20} alkyleneoxy (C_1-C_{20})-alkyleneoxy group or a cycloalkylene having from 5 to 7 carbon atoms, in the cycloalkylene ring one or more carbon atoms can be substituted by heteroatoms, the ring may have side chains of R' type, R' being as above defined; or




wherein:

~~nIX is an integer between 0 and 3;~~


~~nIIIX is an integer between 1 and 3;~~

~~R_{TIIX}, R_{TIIX}, R_{TIIX}, R_{TIIX}, equal to or different from each other are H or a linear or branched C₄-C₄ alkyl;~~



~~Y³ is a saturated, unsaturated or aromatic heterocyclic ring containing at least one nitrogen atom, said ring having 5 or 6 atoms;~~





~~wherein n3 is an integer from 0 to 3 and n3' is an integer from 1 to 3;~~



~~wherein n3 and n3' have the above mentioned meaning;~~



~~wherein nf is an integer from 1 to 6;~~



~~wherein R_{4f} = H, CH₃ and nf is an integer from 1 to 6.~~

Claim 12. (Canceled)

Claim 13. (Currently Amended) The compound or salt according to claim 11, wherein Y is a C₄-C₆ linear or branched alkyleneoxy (C₁-C₆)-alkyleneoxy group.

Claim 14. (Previously Presented) A drug comprising the compound or salt according to claim 11, in combination with a pharmaceutically acceptable carrier.

Claim 15. (Previously Presented) A method for treating oxidative stress dysfunction, said method comprising administering a therapeutically effective amount of the compound or salt according to claim 11 to a patient in need thereof.

Claim 16. (Previously Presented) A pharmaceutical formulation containing the compound or salt according to claim 11 as an active component.

Claim 17. (New) The compound or salt according to claim 11, wherein the bivalent bridging group X_2 is ferulic acid (DII).

Claim 18. (New) The compound or salt according to claim 17, wherein Y is a linear or branched (C_1-C_6) -alkylenoxy group.